	Application No.	Applicant(s)
Notice of Allowability	10/801,612	HWANG ET AL.
	Examiner	Art Unit
	Eric F. Winakur	3735
	Eric F. Winakur	3735
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 10 April 2006.		
2. ☑ The allowed claim(s) is/are <u>1-19</u> .		
<ul> <li>3.</li></ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9. 🔲 Other	

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

The status identifier for claim 1 was changed from "(Original)" to -- (Currently Amended) -- to correctly set forth the status of the claim as filed with the response.

2. The following is an examiner's statement of reasons for allowance: The newly cited reference to Johnson (USPN 5,477,321) teaches a dual beam tunable spectrophotometer that uses an acousto-optic tunable filter to generate a positive- and a negative-order beam, measures the intensity of the negative-order beam as a reference value, and measures a sample with the positive-order beam. The measured intensity of the positive-order beam is compared with the reference value to determine analyte concentration. However, neither Johnson, nor any of the other cited references, teach or suggest a method or apparatus for measuring a concentration of a component that includes setting an intensity relationship by measuring a positive-order beam and a negative-order beam and calculating an intensity of a positive-order beam by applying an intensity of a negative-order beam to the intensity relationship, in combination with the other claimed steps or elements.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 3768

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Eric F. Winakur whose telephone number is 571/272-

4736. The examiner can normally be reached on M-Th, 7:30-5; alternate Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Eleni Mantis-Mercader can be reached on 571/272-4740. The fax phone

number for the organization where this application or proceeding is assigned is 571-

273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Éric F Winakur Primary Examiner

Art Unit 3768